

# Test Report

No.R011609628R

Date: Sep. 27, 2016

Page 1 of 10

**Applicant** : Shandong USR IOT Technology Limited**Address** : Floor 11, Building 1, No.1166 Xinluo Street, Gaoxin Qu, 250101, Jinan, Shandong, China**The submitted sample and sample information was/were submitted and identified by/on the behalf of the client****Sample name** : 4G Router**Type /model** : USR-G800, USR-G801, USR-G802, USR-G803, USR-G804, USR-G805, USR-G806, USR-G807, USR-G808, USR-G809**Trade Mark****Manufacturer** : Shandong USR IOT Technology Limited**Address** : Floor 11, Building 1, No.1166 Xinluo Street, Gaoxin Qu, 250101, Jinan, Shandong, China**Sample received date** : Sep. 20, 2016**Testing period** : Sep. 20, 2016 to Sep. 27, 2016

**Test requested** :

1. As specified by client, to screen Lead(Pb), Cadmium(Cd), Mercury(Hg), Chromium(Cr) and Bromine(Br) in the submitted sample(s) by XRF.
2. As specified by client, when screening results exceed the XRF screening limit in IEC 62321-3-1:2013, further use of chemical methods are required to test the Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs) in the submitted samples.

**According to the RoHS Directive 2011/65/EU****Test Method:** Please refer to the following page(s).**Test Result(s):** Please refer to the following page(s).

Tested by

Inspected by

Approved by

**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F, Building 1, SEC Industrial Park, No.0409 Qianhai Road, Nanshan District, Shenzhen, Guangdong, China

Tel:(86)755-26066544 Fax:(86)755-26014772 Email:service@anbotek.com



Hotline

400-003-0500

www.anbotek.com

# Test Report

No.R011609628R

Date: Sep. 27, 2016

Page 2 of 10

## Test Method:

### A. Screening test by XRF spectroscopy

XRF screening limits in mg/kg for regulated elements according to IEC 62321-3-1:2013.

Element	Limit of IEC 62321-3-1:2013. Unit (mg/kg)		MDL	
	Polymers and metals	Composite material	Polymers	Other material
Pb	$BL \leq (700-3\sigma) < X < (1300+3\sigma)$ $\leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma)$ $\leq OL$	10 mg/kg	50 mg/kg
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma)$ $\leq OL$	$LOD \leq (50-3\sigma) < X < (150+3\sigma)$ $\leq OL$	10 mg/kg	50 mg/kg
Hg	$BL \leq (700-3\sigma) < X < (1300+3\sigma)$ $\leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma)$ $\leq OL$	10 mg/kg	50 mg/kg
Cr	$BL \leq (700-3\sigma) < X$	$BL \leq (500-3\sigma) < X$	10 mg/kg	50 mg/kg
Br	$BL \leq (300-3\sigma) < X$	$BL \leq (250-3\sigma) < X$	10 mg/kg	50 mg/kg

## Note:

-BL = Under the XRF screening limit

-OL = Further chemical test will be conducted while result is above the screening limit

-X= The symbol "X" marks the region where further investigation is necessary

-3  $\sigma$  = The reproducibility of analytical instruments

-LOD= Detection limit

### B. Chemical Test

Test Item(s)	Test Method	Measured Equipment(s)	MDL
Lead (Pb)/ Cadmium (Cd)	IEC 62321-5:2013 Ed.1.0	ICP-OES	2 mg/kg
Mercury (Hg)	IEC 62321-4:2013 Ed.1.0	ICP-OES	2 mg/kg
Hexavalent Chromium Cr(VI)	IEC 62321:2008 Ed.1 Annex B	UV-VIS	/
	IEC 62321:2008 Ed.1 Annex C	UV-VIS	2 mg/kg
Polybrominated Biphenyls (PBBs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg

# Test Report

No.R011609628R

Date: Sep. 27, 2016

Page 3 of 10

## Test Results:

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion
1	PCB	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	BL	/	
2	Chip resistor	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	X	N.D.	
3	Patch IC	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI) )	X	Negative	
		Br(PBBs&PBDEs)	/	/	
4	Patch Transistor	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	BL	/	
5	Black Plastic shell	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	BL	/	
6	Plastic jack	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	BL	/	

# Test Report

No.R011609628R

Date: Sep. 27, 2016

Page 4 of 10

Sample No.	Sample Description	Tested Items	XRF Screening Test Unit (mg/kg)	Chemical Test Unit (mg/kg)	Conclusion
7	Chip capacitor	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	BL	/	
8	Chip voltage regulator tube	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	BL	/	
9	Fuses	Pb	BL	/	PASS
		Cd	LOD	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	BL	/	
10	Silver Aluminum metal	Pb	BL	/	PASS
		Cd	LOD	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	BL	/	
11	Electrolytic capacitor	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	BL	/	
12	Black Screw	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	BL	/	
13	Black Plastic	Pb	BL	/	PASS
		Cd	BL	/	
		Hg	BL	/	
		Cr(Cr(VI) )	BL	/	
		Br(PBBs&PBDEs)	BL	/	

# Test Report

No.R011609628R

Date: Sep. 27, 2016

Page 5 of 10

## Note:

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million

-Negative = Absence of Cr(VI) , the detected Cr(VI) concentration in the boiling water extraction solution is less than 0.02 mg/kg with 50cm<sup>2</sup> sample surface area used.

-Positive = Presence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is equal to or greater than 0.02 mg/kg with 50cm<sup>2</sup> sample surface area used.

-1654\*= According to the customer statement, samples to the EU RoHS directive 2011/65/EU and 2011/534/EU exemption No. 7(c)-I: Containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.

-140400\*\*= According to the customer statement, samples to the EU RoHS directive 2011/65/EU and 2011/534/EU exemption No. 25: Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring.

## Remark:

- The screening results are only used for reference.

- When conducting the test for PBBs&PBDEs, XRF was introduced to screen Br Exclusively; When conducting the test for Hexavalent Chromium, XRF was introduced to screen Chromium exclusively.

# Test Report

No.R011609628R


Date: Sep. 27, 2016

Page 6 of 10


## Test Process:

The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.

### ◆ IEC 62321-5:2013 Ed.1.0



### ◆ IEC 62321-4:2013 Ed.1.0




# Test Report

No.R011609628R


Date: Sep. 27, 2016

Page 7 of 10


## ◆ IEC 62321:2008 Ed.1 Annex B



## ◆ IEC 62321:2008 Ed.1 Annex C



## ◆ IEC 62321:2008 Ed.1 Annex A



# Test Report

No.R011609628R

Date: Sep. 27, 2016

Page 8 of 10

## Photograph of Sample

### Photo 1

☒ front

☐ rear

☐ right side

☐ left side

☐ top

☐ bottom

☐ internal



### Photo 2

☒ front

☐ rear


☐ right side

☐ left side

☐ top

☐ bottom

☐ internal





# Test Report


No.R011609628R

Date: Sep. 27, 2016

Page 9 of 10

**Photo 3**

- ☐ front
- ☐ rear
- ☐ right side
- ☐ left side
- ☐ top
- ☒ bottom
- ☐ internal



**Photo 4**

- ☐ front
- ☐ rear
- ☐ right side
- ☐ left side
- ☐ top
- ☐ bottom
- ☒ internal



# Test Report

No.R011609628R

Date: Sep. 27, 2016

Page 10 of 10

**Photo 5**

☐ front

☐ rear


☐ right side

☐ left side

☐ top

☐ bottom

☒ internal



\*\*\*\*\* End of Report \*\*\*\*\*

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of Anbotek, this report can't be reproduced except in full.